

SQUARE D COMPANY
ELECTRICAL EQUIPMENT

CIRCUIT BREAKER DIVISION
LINCOLN PLANT

402 - 423-6721



1717 CENTERPARK ROAD P.O. BOX 80667

LINCOLN, NEBRASKA 68501

April 15, 1981

RECEIVED

MAY 7 1981

Administrator
324 East 11th Street
Kansas City, Missouri 64106

ENFORCEMENT DIVISION

Dear Sir:

On Monday, November 17, 1980, EPA published amendments to its hazardous waste rules that suspended the requirement that owners and operators of wastewater treatment facilities, which treat hazardous waste in tanks and are subject to regulation under Sections 402 or 307 (b) of the Clean Water Act, obtain a permit under RCRA.

Prior to the publication of these amendments in the Federal Register, our facility had submitted a Part A Permit Application for our hazardous waste treatment activities as required by the regulations at that time. However, as our treatment plant falls within the aforementioned amendment, we are no longer required to maintain "interim status" in order to continue our treatment operation. Therefore, we are requesting that you withdraw our Part A Permit Application with regard to our treatment facility.

In addition, we also have and plan to continue to work within the 90-day limitation on storage of hazardous waste "on-site." As this also does not require a RCRA permit under the regulations, we are requesting that you withdraw our Part A Permit Application for our storage facility.

Please acknowledge receipt of this letter by date stamping the enclosed copy and returning it to the undersigned in the stamped, self-addressed envelope. In addition, we would request acknowledgement from you when the withdrawal process has been completed.

Sincerely,

Square D Company

Bill

Bill Wito

EW/pw

cc: Permit Contact
State of Nebraska DEC



R00352653
RCRA RECORDS CENTER

*Done
5/8/81
by
D.A. Segner*

3
SQUARE D COMPANY
ELECTRICAL EQUIPMENT

Bill Lewis
Code as permit-by-rule -
JFoid
6/17/81
CIRCUIT BREAKER DIVISION

(319) 365-4631



3700 SIXTH STREET, S.W.

CEDAR RAPIDS, IOWA

52406

April 24, 1981

Permit Branch
U.S. Environmental Protection Agency
324 East 11th Street
Kansas City, Missouri 64106

FAD000819110

Dear Sir:

On Monday, November 17, 1980, EPA published amendments to its hazardous waste rules that suspended the requirement that owners and operators of wastewater treatment facilities, which treat hazardous waste in tanks and are subject to regulation under Sections 402 or 307 (b) of the Clean Water Act, obtain a permit under RCRA.

Prior to the publication of these amendments in the Federal Register, our facility had submitted a Part A Permit Application for our hazardous waste treatment activities as required by the regulations at that time. However, as our treatment plant falls within the aforementioned amendment, we are no longer required to maintain "interim status" in order to continue our treatment operation. Therefore, we are requesting that you withdraw our Part A Permit Application with regard to our treatment facility.

In addition, we also have and plan to continue to work within the 90-day limitation on storage of hazardous waste "on-site." As this also does not require a RCRA permit under the regulations, we are requesting that you withdraw our Part A Permit Application for our storage facility.

Please acknowledge receipt of this letter by date stamping the enclosed copy and returning it to the undersigned in the stamped, self-addressed envelope. In addition, we would request acknowledgement from you when the withdrawal process has been completed.

Very truly yours,

George E. Junttila
George E. Junttila

EPA-ARHM/HAZM

MAY 01 1981

ne

Enclosures

Region VII K.C.

JUN 22 1981

Copies to: EPA Regional VII
P. O. Box 15606
Kansas City, Missouri 64106

Charles C. Miller, Director
Iowa Department of Environmental Quality
Air and Land Quality Division
Henry A. Wallace Building
Des Moines, Iowa 50319

KANSAS CITY MO.
REGIONAL OFFICE
EPA
MAY 20 10 30 AM '81
RECEIVED